



National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***





National Highway Traffic Safety Administration

PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 82

CASE NO. 612 P

TYPE OF ACCIDENT UTILITY VEHICLE/PEDESTRIAN CROSSING STREET

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Vehicle #1 was travelling westbound on a 2-lane, 2-way street.

A pedestrian ran between two parked cars on the north side of the street and crossed southbound into the path and lane of Vehicle #1.

The front of Vehicle #1 struck the pedestrian and launched her forward and to the left where she final rested in the opposite lane with her head to the south and feet to the north.

Driver of Vehicle #1 was able to brake and swerve some to the right after impacting the pedestrian and stopped in his lane with his rear tires aligned with the pedestrian at final rest.

	B. PEDESTRIAN PROFILE											
	Pedestrian		Sex	Treatment/ Mortality	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)							
	No.	Age			Body Region	Ana. Struc.	AIS	Injury Source				
	01	58	female	hospitalized	Thigh	Skeletal	3	Hood edge				

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

	C. VERICLE PROFILE											
Vehicle	Class		Most Severe Damage Based on Vehicle Inspection									
No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description								
01	compact utility	93/Jeep/Grand Cherokee	front	moderate - crush to front of hood edge with scuff areas								


DO NOT SANITIZE THIS FORM



ACCIDENT COLLISION DIAGRAM



National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM





ACCIDENT COLLISION DIAGRAM

National Eighway Traffic Safety Administration

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

Scale: 1 centimeter = _

meters

PSU No.	89		Case	Numb	er—Stra	atum _	<u>0 1 </u>	7-4) 			Indica North	te E)
; ; ;	1300 1800 1800 1800 1800		ኒ ር	m										
	10319 154 1657 ²	0									•	,		
					Pol	_ _ _]	PP 5.7	E	RL +	_ (S				
			S.	and	Fral Open	Rob	1.) - r	E	2	.85 n				
			M											
		246					62		- 3/22	qv.	بالم			
					7				······································					
			d	RP	2.2	Γ	7			Q	4		6.7	
						RL [ス	2/12	29 or	ماه	•	GRA		
	•											Ş	1	



U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number 82

Case Number—Stratum 6 12 P

PEDESTRIAN ACCIDENT CO	DLLISION DATA CO	ELECTION		
document reference point and reference line relative to physical features	Surface Type	Bit imo	• north ar	SCALED DIAGRAM
Description of all accident induced physical evidence including (if applicable):	Surface Condition	<u>tode</u>		easurements for all applicable
a) vehicle skid marks	Coefficient of Fric	ition 70	roadway	
b) pedestrian contacts with ground or object	Grade (v/h) Meas	urement _ ,	* scaled re including	epresentations of the physical plant
c) vehicle/pedestrian point of impact (POI) d) location of pedestrian separation point from vehicle	a) at impact	3/19-2	a) ali ro cross	ead/roadway delineation (e.g., swalks, curbs/edge lines, lane
final resting points (FRP) for pedestrian and vehicle	b) between im and final rea		mark	ings, medians, pavement markings, ad vehicles, poles, signs, etc.)
documentation of the physical plant including:	Pedestrian Travel	Direction South		affic controls (e.g., lights, signs)
all road/roadway delineation (e.g., crosswalks, curbs/edge lines, lane markings, medians, payement markings.	Vehicle Travel Dire	5	pedestri	an at pre-impact, impact, and final ed upon either:
parked vehicles, poles, signs, etc.) b) all traffic controls (e.g., lights, signs)				ysical evidence, or constructed accident dynamics
Reference Point: Light Pro	4131	Reference line:	Joeth	Cut Edgo
	est of R	<u> </u>		<u> </u>
Item		Distance and Directory from Reference Po		Distance and Direction from Reference Line
Appaoximate Ponts of	Infact	10.7E		4.65
Slight scuff probab	ble			
T: 0 0 + 0 0				
Trual Feel Booch	7	111 =		7.8S
Police Messurement	WS.			
37 (303)(107)				
				:
		•		
·				
		•		, which is the second

Distance and Direction **Distance and Direction** Item from Reference Point from Reference Line



National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY SPECIAL STUDIES - INDICATORS 1. Primary Sampling Unit Number Check (J) each special study (SS15-SS19 below) 2. Case Number - Stratum that has been completed; code 1 for the checked special studies and 0 for the special studies not IDENTIFICATION checked. 3. Number of General Vehicle 6. SS15 Administrative Use 0 Forms Submitted 7. _____ SS16 Pedestrian Crash Data Study 1 4. Date of Accident (Month, Day, Year) 8. SS17 Impact Fires 0 5. Time of Accident 9. SS18 0 Code reported military time of accident. NOTE: Midnight = 2400 10. SS19 0 Unknown = 9999NUMBER OF EVENTS 11. Number of Recorded Events in This Accident 0 1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

	PEDESTRIAN ACCIDENT EVENTS							
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage		
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14 \	15.	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>		

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger vari (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian



PEDESTRIAN ASSESSMENT FORM

Form Approved

O.M.B. No. 2127-002

U.S. Department of Transportation
National Highway Traffic Safety

O.M.B. No. 2127-0021
NATIONAL ACCIDENT SAMPLING SYSTEM

Administration PEDESTRIAN CRASH DATA STUDY 10. Pedestrian's Weight 1. Primary Sampling Unit Number Code actual weight to the nearest kilogram. 2. Case Number - Stratum (999) Unknown 130 pounds X .4536 = 059 kilograms 3. Pedestrian Number PEDESTRIAN'S CHARACTERISTICS PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 11. Pedestrian Attitude 4. Pedestrian's Age (1) Standing Code actual age at time of accident. (00) Less than one year old (specify by month): (2) Crouching (3) Kneeling (97) 97 years and older (4) Bending at waist (99) Unknown (8) Other (specify): (9) Unknown 5. Pedestrian's Sex 12. Pedestrian Motion (1) Male (0) Not moving (2) Female - not reported pregnant (1) Walking slowly (3) Female - pregnant-1st trimester (1st-3rd month) (2) Walking rapidly (4) Female - pregnant-2nd trimester (4th-6th month) (3) Running or jogging (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (4) Hopping (9) Unknown (5) Skipping (6) Jumping 6. Pedestrian's Overall Height (7) Falling/stumbling or rising Code actual height to the nearest (8) Other (specify): centimeter. (9) Unknown (999) Unknown 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight 7. Pedestrian's Height - Ground to Knee (02) Crossing road, diagonally Code to the nearest 45/6 (03) Moving in road, with traffic centimeter. (04) Moving in road, against traffic (999) Unknown (05) Off road, approaching road (06) Off road, going away from road __ inches X 2.54 = centimeters (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway 8. Pedestrian's Height - Ground to Hip Code to the nearest (98) Other (specify): 84. X centimeter. (99) Unknown (999) Unknown 14. Pedestrian's Body (Chest) Orientation ____ inches X 2.54 = ___ centimeters Relative to Striking Vehicle Prior to **Avoidance Actions** (1) Facing vehicle 9. Pedestrian's Height - Ground to Shoulder Code to the nearest 130.88 (2) Facing away centimeter. (3) Left side to vehicle (999) Unknown (4) Right side to vehicle (8) Other (specify): ___ inches X 2.54 = ___ centimeters Unknown BEST AVAILABLE COPY

PEDESTRIAN'S AVOIDANCE ACTIONS 18. Pedestrian's Arm Orientation at Initial Impact (01) At sides 15. Pedestrian's First Avoidance Actions (02) Folded across chest (00) No avoidance actions (03) Hands clasped behind back (01) Stopped (04) Hands on hips (02) Accelerated pace (05) Hands in pockets (03) Ran away (along vehicle path) (04) Jumped One or both arms: (05) Turned toward vehicle (06) Extended upward (06) Turned away from vehicle (07) Extended to side (07) Dove or fell away (08) Extended forward bracing (09) Extended, holding object. w (briefcase, suitcase, etc.) hand of Used hand(s) to: (11) Vault corner of vehicle (10) Holding object (young child, (12) Vault onto vehicle grocery bag, etc.) in arm(s) (13) Brace against vehicle (11) Holding object (young child, grocery (14) Crouched and braced hands against bag, etc.) on shoulder(s) or head vehicle (98) Other (specify): (98) Other (specify): _____ (99) Unknown (99) Unknown 19. Pedestrian's Leg Orientation at Initial Impact (01) Together PEDESTRIAN'S ORIENTATION AT IMPACT (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground 16. Pedestrian's Head Orientation (07) Right foot off the ground at Initial Impact (08) Both feet off the ground (1) To front (98) Other (specify): (2) To left (99) Unknown (3) To right (4) Up 20. Vehicle/Pedestrian's Interaction (5) Down (01) Carried by vehicle, wrapped position (8) Other (specify): (02) Carried by vehicle, slid to windshield (9) Unknown (03) Carried by vehicle, position unknown (04) Passed over vehicle top 17. Pedestrian's Body (Chest) Orientation (05) Thrown straight forward (06) Thrown forward and left of vehicle at Initial Impact (07) Thrown forward and right of vehicle (1) Facing vehicle (08) Knocked to pavement, forward (2) Facing away (09) Knocked to pavement, left of vehicle (3) Left side to vehicle (10) Knocked to pavement, right of vehicle (4) Right side to vehicle (11) Knocked to pavement, run over or (8) Other (specify): dragged by vehicle (9) Unknown (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, rotated (16) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify): (99) Unknown

à	OFFICIAL RECORDS		INJURY CONSEQUENCES	
21.	 Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 		25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown	3
22.	. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	46	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):	3
	Source:	ļ	Nonfatal (3) Hospitalization	
23.	Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	Q	(3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown	1
	Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	Q	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown	+
			28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60 that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown	<u>}</u>
			29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown	7

 STOP - VARIABLES 30 THROUGH 37 A 	ARE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) - HCO3 (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO3 (96) ABGs reported, HCO3 unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death up through 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 + n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death OO 35. 2nd Medically Reported Cause of Death OO 36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORDS NO [V] UPDATE CANDIDATE?	YES[]



Administration

Department of Transportation National Highway Traffic Safety

PEDESTRIAN INJURY FORM

Form Approx O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number



3. Pedestrian Number

INJURY DATA

2. Case Number - Stratum

4. Blank


1 2


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. 2	s. <u></u>	7. 5	e. <u>/ 8</u>	.14	10. 3	11. <u>2</u>	12 700	13,	14.	15.	16. 2	-,2-
2nd	18. 7	19. 🖔	20.	21.34	22.06	23. 7	24. 7	25. <u>700</u>	26	27. <u>/</u>	28. 2	29. 2	<u>ء</u> ک
3nd	31.~	32. 🔨	33. 7	34.04	35: <u>0</u> 2	36	37	38. 700	39	400 <u>/</u>	41.2	42. 2	, i 4
4th	44.2	46. 8	48. <u>≤</u>	47. 76	18. UZ	49. 2	50. 2	51. 703	62. <u>/</u>	53. <u>/</u>	64. <u> </u>	55.	(/ 58
5th	57. <u>V</u>	58. 7	<u>59. ≤</u>	so. 28	n. <u>0 4</u>	62. 3	es. <u>2</u>	84. 703	65	68	67. <u>3</u>	68.2	69
Øth	70. <u>~</u>	71. 7	72. 5	73. 32	4.04	76. <u>3</u>	78. <u>~</u>	77. <u>7 0 3</u>	78. <u>/</u>	79. <u>/</u>	80. <u>3</u>	81.	82
7th	83. <u>v</u>	84. 2	86. 9	86. <u>0</u> 2 8	7. <u>0 2</u>	88	89. 1	<u>947</u>	91. 1	92. <u> </u>	93. 0	940	 <u>O</u>
8th	96. 🗹	97. <u>V</u>	98. <u>7</u>	es. <u>04</u> 10	∞. <u>0</u> ∠	101	102. 1	103. 947	104,	106. 1	106. 0	107. <u>ට</u>	108.
9th	1082/1	110. 2	111. <u>9</u>	112 0 Z11	3. <u>0 2</u>	114. 🗘 1	115:	116 947	117. /	118. /	119. 💋 1	ر رور	121.0_
10th	•					127 1			130				
				Parity 30									

	Source f Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	injury · Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damag Depth
1th											· · · · · · · · · · · · · · · · · · ·		
2th	_	_	_	-				***************************************			-		-
3th		_	-			_			-		. —		
łth			_										
ôth			_			 .	_					:	
th							_			4			
th	******	_					_		·	_			
th	_		_				_		_		_		
th			-			_	_		<u> </u>	-	_		
h			_										
et . d		_	-							, 			
d.				· · · · · · · · · · · · · · · · · · ·			•						
h			•		۰ معید خطیت								_
•											-	_	

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)







National Accident Sampling System-Crashworthiness Data System: Pedestrian Injury Form


SOURCE OF INJURY DATA INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE (1) Certain (2) Probable (0) Injury not from vehicle contact (1) No damage/contact (1) Autopsy records with or without hospital/ Possible Scratch medical records (9) Unknown Dent (2) Hospital/medical records other than Large deformation emergency room (e.g., discharge DIRECT/INDIRECT INJURY Cracked, fractured, shattered Direct contact injury Separated from vehicle (6) (3) Emergency room records only (including Indirect contact injury Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: Injured, unknown source (4) Private physician, walk-in or emergency Unknown STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) 101 UNOFFICIAL Injury not from vehicle contact No residual damage (5) Lay coroner report Flat-Wide (≥ 15 centimeters) Surface only damage (6) E.M.S. personnel Rounded (contoured) Rounded edge Crush depth >0 to 2 centimeters (7) Interviewee Sharp edge Other (specify): Crush depth >2 to 5 centimeters Crush depth >5 to 10 centimeters (8) Other source (specify): Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Spine (02) Cervical (04) Thoracic (06) Lumbar Abbreviated Injury Scale Head Whole Area (02) Skin - Abrasion Minor injury Face (2) Moderate injury (3) Neck (04) Skin - Contusion (3) Serious injury (4) (5) Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit Thorax (06) Skin - Laceration (4) Severe injury Abdomen (OR) Skin - Avulsion Critical injury (5) (6) Some (10) Amputation numbers beginning with 02 (6) (7) Maximum (untreatable) (20) Burn (7) **Upper Extremity** Injured, unknown severity (8) Lower Extremity (30) Crush Level of Injury Unspecified (40) Degloving Aspect Injury - NFS Specific injuries are assigned consecutive two-digit numbers beginning with 02. Type of Anatomic Structure (90) Trauma, other than mechanical (1) Right Left Whole Area Head - LOC (02) Length of LOC (3) (4) Bilateral 121 Vessels To the extent possible, within the Central (04, 08, 08) Level of Consciousness (10) Concussion organizational framework of the AIS, OO is assigned to an injury NFS as to (3) Nerves (6) Anterior Organs (includes muscles/ (6) (7) Postanor is assigned to an injury NPS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NPS as to lesion or severity. ligaments) Superior Skeletal (includes joints) Inferior Head - LOC (9) Unknown Whole region INJURY SOURCE FRONT Wheels / tires 790 Left front wheel / tire 744 B piller 700 Front bumper 746 C pillar 701 Front lower valance/spoiler 791 Right front wheel / tire 702 Front grille 746 D piller 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other piller (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercamage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 764 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 piller 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercamage component (specify): (specify): 729 Left side roof rail 769 Unknown back component 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify): 736 Left side back fender or quarter panel 773 Cowl area 828 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 947 Ground 778 Backlight glazing Right Side Components 779 Rear header 948 Other object (specify): 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source

P. C. C.	OFFICIAL INJURY DATA - SKELETAL INJURIES
Restrained?	
No	Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are
Yes	unavailable.)
Blood Alcohol Level (mg/dl)	
BAL :=	
Glasgow Coma Scale Score	7528043 x Dradius 753204.3 X L ulna
GCSS =	753204.3 1x Lulna
Units of Blood Given	852602.2 (A) DS40 194
Units =	pubic rami
Arterial Blood Gases	
Ph = PO ₂ :=	Sq midshaft
PCO,	D. Femur
HCO ₃	Smalltibia (Delatean 853406.2)

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)









National Highway Traffic Safety Administration PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

(specify):_

(9) Unknown

(8) No driver present

(3) Specimen test given, results unknown or not obtained



		PEDESTRIAN CRASH D
1. Primary Sampling Unit Number	89	OFFICIAL RECORDS
2. Case Number - Stratum	<u>6 12 P</u>	9. Police Reported Travel Speed
3. Vehicle Number	. 0 1	Code to the nearest kmph (NOTE: 000 mea
VEHICLE IDENTIFICAT	TION	(160)159.5 kmph and above (999)Unknown
4. Vehicle Model Year Code the last two digits of the mo (99) Unknown	odel year	mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit
5. Vehicle Make (specify): Applicable codes are found in your NASS PCDS Data Collection, Codi Editing Manual.	$\frac{Q}{dr}$	Code posted or statutory speed limit in kmph (999) Unknown 30 mph X 1.6093 = 0 48 kmph 11. Police Reported Alcohol Presence For Drive
6. Vehicle Model (specify): Applicable codes are found in your NASS PCDS Data Collection, Codil Editing Manual.	404 Ing and	(0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown 12. Alcohol Test Result For Driver
(999) Unknown7. Body Type Note: Applicable codes may be for the back of this page.	und on	Code actual value (decimal implied before first digit –0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number		Source:
Left justify; Slash zeros and letter in No VIN—Code all zeros Unknown—Code all nines		 13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
		 14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500.)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

X	VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15.	Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown Something to the content of the co	18. Impact Speed + 0 4 8 48,3 Nearest kmph (NOTE: 000 means greater than .5 kmph) (160)159.5 kmph and above (999)Unknown
16.	Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 RE COMPLETED BY THE ZONE CENTER	PRECRASH DATA 21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio (specify): (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify):
		(98) No driver present (99) Unknown

23. Critical Precrash Event	$\times o$	(8:	3) Pedalcyclist or other non-marketing
This Vehicle Loss of Control Due To:	<u> </u>	,0.	3) Pedalcyclist or other nonmotorist in roadway (specify):
(01) Blow out or flat tire		19.	
(02) Stalled engine		10.	1) Pedalcyclist or other nonmotorist approaching
(03) Disabling vehicle failure (e.g., whee	el fell off)	/01	roadway (specify):
(specify):	31 1611 0117	(0:) Pedalcyclist or other nonmotorist—unknown
(04) Non-disabling vehicle problem (e.g.	bood flow	~	location (specify):
up) (specify):	, nood new		ject or Animal
			7) Animal in roadway
(O5) Poor road conditions (puddle, pot h (specify):	ole, ice, etc.)	(88	3) Animal approaching roadway
) Animal—unknown location
(06) Traveling too fast for conditions)) Object in roadway
(08) Other cause of control loss (specify	'):	(91) Object approaching roadway
(09) Unknown cause of control loss		(92	2) Object—unknown location
This Vehicle Traveling		(98	Other critical precrash event (specify):
(10) Over the land the			
(10) Over the lane line on left side of tra	vel lane	(99) Unknown
(11) Over the lane line on right side of tr	avel lane		
(12) Off the edge of the road on the left	side 24.	. Att	empted Avoidance Maneuver
(13) Off the edge of the road on the righ	it side	(00	No driver present
(14) End departure) No avoidance actions
(15) Turning left at intersection) Braking (no lockup)
(16) Turning right at intersection		(03) Braking (lockup)
(17) Crossing over (passing through) inte	ersection	(04) Braking (lockup unknown)
(19) Unknown travel direction		(05	Releasing brakes
Other Motor Vehicle In Lane			Steering left
(50) Stopped			Steering right
(51) Traveling in same direction with low	er speed) Braking and steering left
(i.e., lower steady speed or decelerate	itina)	100	A Proking and steering left
(52) Traveling in same direction with high	her sneed	/10	Braking and steering right
(53) Traveling in opposite direction	ioi specu		Accelerating
(54) In crossover		(11)	Accelerating and steering left
(55) Backing		(12)	Accelerating and steering right
(59) Unknown travel direction of other m	otor vehicle		Other action (specify):
in lane	otor verilcie	(99)	Unknown
Other Motor Vehicle Encroaching Into Lai	25	Dros	speck Canbilla. A fr. A
(60) From adjacent lane (same direction)-	-Over left	(U)	rash Stability After Avoidance Maneuver No driver present
lane line		(1)	No avoidance maneuver
(61) From adjacent lane (same direction)-		(2)	Tracking
lane line	-over right	(3)	
(62) From opposite direction—over left la		,,,	degrees
(63) From opposite direction—over right l	one line	(4)	Skidding laterally—clockwise rotation
(64) From parking lane	ane line	(5)	Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into sai		(8)	Other vehicle loss-of-control (specify):
(66) From crossing street, across path	ne direction		the second of control (specify).
(67) From crossing street, turning into op		(9)	Precrash stability unknown
direction			•
	26. !	Prec	rash Directional Consequences of
(68) From crossing street, intended path r	lot known	Avoi	dance Maneuver (Corrective Action)
(70) From driveway, turning into same dir(71) From driveway, across path	ection	(O)	No driver present
(72) From driveway, across path		(1)	No avoidance maneuver
(72) From driveway, turning into opposite	direction	(2)	Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not kn			maneuver was initiated
(74) From entrance to limited access high	way ((3)	Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—deta	ils		where avoidance maneuver was initiated
unknown		(4)	Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmo	otorist		travel lane where avoidance maneuver was
(80) Pedestrian in roadway			nitiated
(81) Pedestrian approaching roadway	1 :	5)	Vehicle departed roadway
(82) Pedestrian—unknown location	1	6)	Avoidance maneuver initiated off roadway
		91 1	Directional concessioness university

		ENVIR	ONME	ENTA		DATA	
27.	(0) (1) <i>Non</i> (2) (3) (4)	Ation to Junction Non-junction Interchange area Interchange Intersection Intersection-related Drive, alley access related Other non-interchange (specify):	\$		(1) (2) (3) (4) (5) (8)	dway Surface Condition Dry Wet Snow and slush Ice Sand, dirt or oil Other (specify): Unknown	3
	(9)	Unknown type of non-interchange Unknown if interchange	1	1 1	(0)	fic Control Device No traffic control(s) Trafficway traffic control signal (not RR crossing)	Ø
28.	(1) (2) (3) (4)	ficway Flow Not physically divided (two way traffic) Divided trafficway - median strip withou positive barrier Divided trafficway - median strip with positive barrier One way trafficway Unknown	,		<i>Cros</i> (2) (3) (4)	ulatory or School Zone Sign (Not RR ssing) Stop sign Yield sign School zone sign Other sign (specify):	
29.	(1) (2)	nber of Travel Lanes One Two	2	(7)	Unknown sign Warning sign (not RR crossing) Miscellaneous/other controls including R controls (specify):	R
	(4) (5) (6) (7)	Three Four Five Six Seven or more Unknown	,	35. 1 (0) 1) 2)	fic Control Device Functioning No traffic control Not Functioning Functioning	<u></u>
30.	(1) (2) (3)	dway Alignment Straight Curve right Curve left Unknown	7	36. L	igh: 1) 2)	Unknown t Conditions Daylight Dark Dark, but lighted	3
	(1) (2) (3) (4) (5)	Iway Profile Level Uphill Grade (>2%) Downhill Grade (>2%) Hillcrest Sag Unknown	7	37. A	4) 5) 9) atmo	Dawn Dusk Unknown Dispheric Conditions No adverse atmospheric related driving	3
12.	Road (1) (2) (3) (4) (5)	way Surface Type Concrete Bituminous (asphalt) Brick or Block Slag, gravel or stone Dirt Other (specify):	<u>~</u>	(3 (4 (5 (6 (7 (8	2) 3) 4) 5) 5) 7)	conditions Rain Sleet Snow Fog Rain and fog Sleet and fog Other (e.g., smog, smoke, blowing sand dust, etc.) (specify):	or
						•	



U.S. Department of Transportation PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY National Highway Traffic Safety Administration 3. Vehicle Number 1. Primary Sampling Unit Number 2. Case Number - Stratum 12. VEHICLE IDENTIFICATION: Vehicle Make (specify): Vehicle Model (specify): PEDESTRIAN: FRONT, CONTACT: WORK: SHEET PEV06 Hood Material PEV08 Hood Length cm PEV09 Hood Width-Forward Opening cm PEV10 Hood Width-Midway cm PEV11 Hood Width-Rear Opening PEV14 Front Bumper Cover Material PEV15 Front Bumper Reinforcement Material **VERTICAL MEASUREMENTS** PEV16 Front Bumper-Bottom Height PEV17 Front Bumper-Top Height cm PEV18 Forward Hood Opening PEV19 Front Bumper Lead **WRAP DISTANCES** PEV20 Ground to Forward Hood Opening cm PEV21 Ground to Front/Top Transition Point cm PEV22 Ground to Rear Hood Opening cm PEV23 Ground to Base of Windshield cm PEV24 Ground to Top of Windshield cm PEV25 Ground to Head Contact


VEHICLE DAMAGE SKETCH C'ell men so umbel the stand when the things

S: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of strictions, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axies) from the ground:

Field

National Accident Sampling S rthiness Data System: Pedestrien Exterior Vehicle Form Model Year 👱 🔾 Vehicle Make (specify): **Hood Material** Front Bumper Reinforcement Material Midway 1 99 Hood Length Forward Opening 140 10 Bumper Load WRAP Windshield VERTICAL 140



PSU NUMBER CASE NUMBER YEAR

82
612P
1995

PEDESTRIAN EXTERIOR VEHICLE FORM

THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:

- [] ENTIRE FORM
- PAGE NUMBER (S) 3,4

ORIGINAL SPECIFICATIONS

·						_
Wheelbase	105.9	inches	X	2.54	=	<u>269</u> cm
Overall Length	176.7	inches	x	2.54	=	<u> 449</u> cm
Maximum Width	- 6 J.3	inches	x	2.54	=	<u> </u>
Curb Weight	3,b7,4	pounds	x	. 4536	=	1,667 kg
Average Track	_ N #.L	inches	x	2.54	=	cm
Front Overhang	'	inches	x	2.54	=	cm
Rear Overhang		inches	x	2.54	=	cm
Undeformed End Width		inches	x	2.54	=	cm
Engine Size: cyl./displ.		СС	x	.001	=	L
		CID	x	.0164	=	L

National Accident Sampling System-Crashworthiness Data System: Pedestrian Exterior Vehicle Form Page 5														
21.	POINTST OF PEDESTRIAN* CONTACT													
	LIST CONTACTS IN CHRONOLOGICAL ORDER													
co	INTACT	COMPONENT CONTACTED	LONGITUDINAL	LATERAI LOCATIO		CRUSH M	Sus	PECTED	SUPPOI	ITING PHYSICAL EVIDENCE		IDENCI ONTACI		
	*	CODE	Ø3	m	!	CENTIMETERS	BODY	REGION	l			(Circ		
	1	,	4	$\overline{}$							1	2	3	9
	2			20	$\overline{\Omega}$	10.0	TY				1	2	3	8
	3		 	7	X	Nex	<u> </u>	$\overline{\wedge}$			1 7	2	3	8
	4		+	- (;			 	POA			+ +	- 2	3	8
		'	 	-Ye	36	\ \ \	1 N	~a	2					
	5	 '	ļ	\longrightarrow	<u>`</u>	TW	/ / / /	<u>· · · · · · · · · · · · · · · · · · · </u>	<u> </u>		1	2	3	8 .
	6	<u>. </u>		<u> </u>			M_{\perp}	المر			1	2	3	8
	7	i						13/1	7		1	2	3	8
	8	,	1						4		1	2	3	9
	9	(f	 	$\overline{}$	/ / 		1	2	3	9
	10		 			 '	 		 		+ +	2	3	9
	10	·'			'	<u> </u>	<u> </u>		Щ		<u> </u>			
701 702 703 704 705 708	Front grillo Hood edge Hood orns	e and/or trim ament (fixed) ament (spring loaded)	D	750 751	Other Right Right Door	iller er piller (specify): ht side roof rail ht side door surface ir handle ht side mirror fixed h	1	-	792 793 798 799 <u>Underca</u>	Left rear wheel/tire Right rear wheel/tire Other wheel/tire (specif Unknown wheel/tire erriage components	y):			
70 7	Retractab	ole headlight door (Op	pen/Closed)	753	Right	nt side folding mirror	r		800					
708	-	al/parking lights				nt side glazing forwa			801	Steering assembly/Front	suspens	ion		
718	Other from (specify):	nt or add on object		755 758		nt side glazing rearw: r antenna	and of P bills	1l.	802 803	Oil pan Exhaust system pipe				
719		front object		75 7		r fender or quarter p	panei		804	Transmission				
		,		758		er right side object (s	•		805	Drive shaft				
ft Side	e Componer	<u>ats</u>		759	Unkr	nown right side com	iponent		808	Catalytic converter				
720	Eront fon	der side surface		Pack C					807					
720 721	Front sent			Back Co	Пропе	<u>MI3</u>			808 809	Floor pan Fuel tank				
722	A1 pillar			760	Rear	r (back) bumper			810	Rear suspension				
723	A2 pillar				Tailg	•			818	Other undercarriage con	nponent			
724	B pillar			762	Hatc	chback, vertical surfa	ace			(specify):	<u>.</u>			
725	C pillar					er back component (s			819	Unknown undercarriage	compone	mt		
726	D pillar	· · /if\-		/69	Unkn	nown back compone	At							
728 729	Left side i	er (specify):		Top Com	magag	into			Accessor 820	ries Air scoop, deflector				
730		door surface		100 00	Ipens.	11.5			821	Cellular or CB radio ant	enna			
731	Door hand			770	Hoor	d surface			822	Emergency lights or bar				
732		mirror fixed housing	ı	771	Hoor	d surface reinforced	i by underhor	d component	823	Fog lights				
733		folding mirror				nt fender top surface			824	Luggage, ski, or bike ra				
		glazing forward of B		773		rl area			825	Cargo (specify):				
735 728		glazing rearward of E	•	774 775		er blade & mounting:	, 2		828	Spare tire				
736 73 7	Rear ante	back fender or quart	er panel	775 778		dshield glazing It header			827	Spotlight				
737		una Laida ahiaat (anaaifuk				it neager			828	Other accessory (specify	/i:			

Right Side Components

740 Front fender side surface

738 Other left side object (specify): _ 739 Unknown left side component

- 741 Front antenna
- 742 A1 pillar

- 777 Roof surface
- 778 Backlight glazing
- 779 Rear header
- 780 Hatchback
- 781 Rear trunk lid
- 788 Other top component (specify): _
- 789 Unknown top component

Other Object or Vehicle in Environment

- 848 Other object in environment (specify):_
- 849 Unknown object in environment
- 959 Unknown object on contacting vehicle
- 997 Noncontact injury source
- 999 Unknown injury source

POINTS OF	PEDESTRIAN	CONTACT	PEDESTRIAN # 1

PEDESTRIAN CONTACT WORKSHEET PAGE

	CONTACT I D LABEL	COMPONENT CONTACTED (CODE or OBJECT)	LONGITUDINAL X LOCATION	LATERAL LOCATION	CRUSH IN CM	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT
	7	700-701	78102	24	41	1 Leg	Soul extends over	1 2 3 9
	9	700-701	78/02	33	4	B Leg	bunkerand down valance	(1) 2 3 9
•	5	700	38102	38	\$1	Black	skift sulf and	1 2 3 9
·	8	700	7×100	80	≤1	Cost Tail	Smean	1 ② 3 9
	3	718-20 1ight	73/0/	34	€ 1	O Kip	slight smeaning	1 2 3 9
لتكالما	Q E	202	6785	45	1-2		scuff /slight inward crust	1 2 3 9
	7	70 3 ,	JO388	27	<1	Shulden Blag	Scuffed	1 3 9
	H	703/770		41	2-4	@ Forema	Devited Jongitudally	1 2 3 9
3/0		770	54 /	<u>52</u>	٤)		Homely umhalicuffed	1 2 3 9
· 10.1	on B	370	54 -	30	<u> </u>	O Ellow	som tounded by	R 2 3 9
July 1		770	37	44	ST	and DShuld	B-E-Kio Definide	2 3 9
(A)	なド	770	42	54-65	<u> </u>	Hend	Shaffed area of head	2 3 9
			<u> </u>	11 00	^ / (4	Tillaw (B. Seems	1 2 3 9
		> 200 (Posible	Hend B	gus l'unt	ر طف	to Bland in will with	1 2 3 9
				1.0			morning.	1 2 3 9
	D	770	57	68	≼	Snewed ar	en extendo to	1 2 3 9
						Loyer of h	rod which w	1 2 3 9
						X O	up boung of about	1 2 3 9
						Body sepo	ratin term con.	1 2 3 9
Rom		-		59				1 2 3 9
San	m S	3	5	55 55)	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		2 3 9
Agre	्वरा र्थ 🛕	×			>Um		anks	2 3 9
色系统		13	N -(D	70 53	(\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	d in G	Hund,	(1) 2 3 9
An	w		(0	9)	$\frac{1}{2}$		11	1 2 3 9
il	1							1 2 3 9

VEHICLE DIMENSIONS*	11. Hood Width Rear Opening
4. Original Wheelbase	Code to the
Code to the	nearest centimeter (210) 210 centimeters or more
nearest centimeter	(999) Unknown
(999) Unknown	(000) CHRIOWII
105.9 inches X 2.54 = 36.9 centimeters	inches X 2.54 =centimeters
TO Canumaters	40 Haad/Fandar Varriad/Lateral Cont. Fu
5. Original Average Track Width	12. Hood/Fender Vertical/Lateral Crush From Pedestrian
Code to the	(0) Not damaged
nearest centimeter	(1) Surface scratching only, no residual crush
(185) 185 centimeters or more (999) Unknown	(2) Minor crush (1-3 centimeters)
(.)	(3) Moderate crush (4-7 centimeters)
	(4) Severe crush (>7 centimeters) (8) Damage present, unknown if damage is
,	from pedestrian impact
6. Upped Massarial	(9) Unknown
6. Hood Material (1) Plastic	
(2) Fiberglass	13. Windshield Contact Damage
(3) Steel	From Pedestrian Contact (0) Not contacted by pedestrian
(4) Aluminum	(1) Contacted by pedestrian - not damaged
(5) Stainless Steel	(2) Contacted by pedestrian - damaged
(8) Other (specify):(9) Unknown	(3) Unknown if contacted by pedestrian - not
(5) GIRIOWII	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian - damaged
Equipment Manufacturer (OEM)	(9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood (2) OEM replacement	unknown if damaged
(3) Non-OEM replacement	·
(9) Unknown	FRONT CONTACT DAMAGE
0 9 9	Front Vertical Measurements
8. Hood Length Code to the	
nearest centimeter	14. Front Bumper Cover Material
(180) 180 centimeters or more	(0) No front contact
(999) Unknown	(1) Plastic (2) Fiberglass
	(3) Rubber
inches X 2.54 =centimeter	(4) Other (specify):
9. Hood Width Forward Opening \	(9) Unknown
Code to the	15 Front Rumper Poinforcement Meterial
nearest centimeter	15. Front Bumper Reinforcement Material (0) No front contact
(210) 210 centimeters or more (999) Unknown	(1) Steel
1999) OHRHOWH	(2) Aluminum
inches X 2.54 = centimeters	(3) Stainless Steel
7162	(4) Other (specify):(9) Unknown
10. Hood Width Midway	C 1 C
Code to the nearest centimeter	16. Front Bumper-Bottom Height 299
(210) 210 centimeters or more	Code to the
(999) Unknown	nearest centimeter
	(000) No front contact (150) 150 centimeters or more
inches X 2.54 = centimeters	(999) Unknown
•	
	inches X 2.54 = centimeters

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =centimeters 18. Forward Hood Opening	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown inches X 2.54 =
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknowninches X 2.54 =centimeters 19. Front Bumper Lead (00) No front contactCode to the	Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
nearest centimeter (30) 30 centimeters or more (99) Unknowninches X 2.54 = centimeters Front Wrap Distance Measurements	(999) Unknown centimeters SIDE CONTACT DAMAGE
	Side Vertical Measurements
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more

			Control of the second statements	
29.	Centerline of Wheel	<u> </u>	Side Lateral Measurem	ems
	Code to the			Con >
	nearest centimeter		35. Centerline to A-Pillar	
	(000) No side contact		at Bottom of Windshield	
	(150) 150 centimeters or more		(000) No side contact	
	(999) Unknown		Code to the	
			nearest centimeter	
	inches X 2.54 =	centimeters	(250) 250 centimeters or more	
			(999) Unknown	
		\bigcirc	(333) OIKIIOWII	
30.	Top of Tire		inches X 2.54 =	
	Code to the		mcnes \ 2.54 =	caummerers
	nearest centimeter			000
	(000) No side contact		36. Centerline to A-Pillar	
	(200) 200 centimeters or more		at Top of Windshield	スプカ
	(999) Unknown		Code to the	
g.			· —	
	inches X 2.54 =	centimeters	nearest centimeter	
			(000) No side contact	
		772	(250) 250 centimeters or more	
31.	Top of Wheel Well Opening	000	(999) Unknown	
	Code to the			
	nearest centimeter		inches X 2.54 =	centimeter
İ	(000) No side contact			000
	(250) 250 centimeters or more		27 Controller to Mandagore Cida	$(')(\lambda(\Lambda'))$
	(999) Unknown		37. Centerline to Maximum Side	QQQ
			View Mirror Protrusion	
	inches X 2.54 =	centimeters	Code to the	
		700	nearest centimeter	
32.	Bottom of A-Pillar at Windshield	000	(000) No side contact	
	Code to the		(300) 300 centimeters or more	
	nearest centimeter		(999) Unknown	
	(000) No side contact			
	(250) 250 centimeters or more		inches X 2.54 =	centimeter
	(999) Unknown			
			Side Wrap Distance Measu	ramante
	inches X 2.54 =	centimeters	3100 ii ap 3100 ii a	1011(0)143
				000
		MAA	38. Ground to Side/Top Transition	~ 0.00
33.	Top of A-Pillar at Windshield	000	Code to the	
	Code to the		nearest centimeter	
	nearest centimeter		(000) No side contact	
	(000) No side contact		(400) 400 centimeters or more	
	10001 000			
	(300) 300 centimeters or more			
-	(300) 300 centimeters or more (999) Unknown		(999) Unknown	
-			(999) Unknown	centimaters
-		centimeters		centimeters
-	(999) Unknown	centimeters	(999) Unknown	centimeters
_	(999) Unknowninches X 2.54 =	centimeters	(999) Unknowninches X 2.54 =	centimeters
34.	(999) Unknowninches X 2.54 = Top of Side View Mirror	centimeters	(999) Unknowninches X 2.54 = 39. Ground to Hood Edge	centimeters
34.	(999) Unknowninches X 2.54 = Top of Side View Mirror Code to the	centimeters	(999) Unknowninches X 2.54 = 39. Ground to Hood Edge Code to the	centimeters
34.	(999) Unknown inches X 2.54 = Top of Side View Mirror Code to the nearest centimeter	centimeters	(999) Unknown inches X 2.54 = 39. Ground to Hood Edge Code to the nearest centimeter	centimeters
34.	(999) Unknown inches X 2.54 = Top of Side View Mirror Code to the nearest centimeter (000) No side contact	centimeters	(999) Unknown inches X 2.54 = 39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact	centimeters
34.	(999) Unknown inches X 2.54 = Top of Side View Mirror Code to thenearest centimeter (000) No side contact (300) 300 centimeters or more	centimeters	(999) Unknown inches X 2.54 = 39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more	centimeters
34.	(999) Unknown inches X 2.54 = Top of Side View Mirror Code to the nearest centimeter (000) No side contact	centimeters	(999) Unknown inches X 2.54 = 39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact	centimeters
34.	(999) Unknown inches X 2.54 = Top of Side View Mirror Code to the	000	(999) Unknown inches X 2.54 = 39. Ground to Hood Edge Code to the	000
34.	(999) Unknown inches X 2.54 = Top of Side View Mirror Code to thenearest centimeter (000) No side contact (300) 300 centimeters or more	000	(999) Unknown inches X 2.54 = 39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more	000
34.	(999) Unknown inches X 2.54 = Top of Side View Mirror Code to the	000	(999) Unknown inches X 2.54 = 39. Ground to Hood Edge Code to the	000

40.	Ground to Centerline of Hood (Origin	
	nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown	
	inches X 2.54 =centimeters	
41.	Ground to Head Contact Code to the	
	nearest centimeter (000) No side contact	
	(800) 800 centimeters or more (999) Unknown	
	inches X 2.54 =centimeters	
t		
		•
	•	



National Highway Traffic Safety

PEDESTRIAN INTERVIEW FORM NATIONAL ACCIDENT SAMPLING SYSTEM

Administration	PEDESTRIAN CRASH DATA STUDY
1. Primary Sampling Unit Number	Interviewee(s) Role or Name(s):
2. Case Number - Stratum 6 12 P	Witnesses
3. Pedestrian Number <u>0 1</u>	
Review all available information and interview questions prior to conducting interview(s) to ensure the acquisition of all pertinent data.	
If the pedestrian was not the person interviewed, was an appointment made for a follow-up interview?	
PEDESTRIAN'S DESCRIPTION OF ACCIDENT EVENTS	
	·
A	
- Raming Hearly on	nd dark
- Stated feel had A	un between parked care into
Steel and was &	truck by vehicle on (1) side
1) travely app	10x. 25-30 mbh
- lany untella ofth	over head and protratty obstructed
WITNESS DESCRIPTION OF ACCIDENT EVENTS	
30)-4	PTION OF ACCIDENT EVENTS
Notressa Stales the ann	in her line
Wrines: I was eastborn	& and just saw body get struck
and unfiella and	bon go Shure of the can so it
went lost me I weall the fraise he in launched Pod	
misent stopped at next comes and facked and Ran back	
to scend where dues no assisting ted ahoody.	
Confirmed Final host of Both Bod and webigle	
3) Witness = tem out between p	arked case at an angle? and struck her

HS Form 0435L (7/94)


Information collected in this report is used to complete HS Forms 435H and 435i. These reports are authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and timely.

ACCIDENT DIAGRAM



The use of this diagram is optional. It may serve to aid in relating interviewee accident trajectory data (i.e., pre-impact to FRP orientations) to identifiable objects in the environment.

INDICATE NORTH



PSU NUMBER CASE NUMBER YEAR

82	
612P	
1995	

PEDESTRIAN INTERVIEW FORM

THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:

[]	ENTIRE FORM	
[4	PAGE NUMBER (S)	2


	thiness Data System: Pedestrian Interview Form Page
Primary Sampling Unit Number	3. Pedestrian Number <u>0</u>
Case Number - Stratum 6	<u>ldp</u>
PEDESTRIAN	PRE-CRASH DATA QUESTIONS
1. Did the driver of the vehicle which hit you le	
of the vehicle and collide with you before re	
control?	[] Walking
	[] Walking Rapidly
[] Yes, explain:	Running or Jogging
	[] Hopping
	[] Skipping
2. Did the driver take any systems actions as	[] Jumping
Did the driver take any avoidance actions pr collision (with you)?	
	[] Other (specify):
[] No - Go to question 3 A Yes- Go to question 2a.	·
A rest do to question <u>za.</u>	7 Lord Rolling about
2a. What actions did the driver take?	7. Just before the impact, were you:
	Crossing road, straight
[] Braking with lock-up	[] Crossing road, diagonally
Braking without lock-up	[] Moving in road, with traffic
[] Releasing brakes	[] Moving in road, against traffic
[] Accelerating	[] Off road, approaching road
[] Steering left	[] Off road, going away from road
[] Steering right	[] Off road, moving parallel
[] Other (specify):	[] Off road, crossing driveway
	[] Off road, moving along driveway
The Distance continue of the state.	[] Other (specify):
2b. Did the vehicle skid sideways?	
No .	
[] Yes- which way	8. Before trying to avoid being struck by the vehicle, wa
[]Clockwise	your chest:
[]Counter clockwise	[] Facing vehicle
How much rotation	[] Facing away
[]Less than 30°	Left side to vehicle
[]30° or more	[] Right side to vehicle
0.00	[] Other (specify):
3. Before the collision, was the driver attentive	
driving task or was the driver distracted by:	9. Did you do anything to avoid being hit, like:
[] Another person in the vehicle	[] Stopping
[] A moving object in the vehicle	[] Accelerating pace
[] Something outside the vehicle	[] Running away (along vehicle path)
(specify):	[] Jumping
[] Cellular phone or CB, specify;	[] Turning toward the vehicle
(specify):	[] Turning away from the vehicle
[] Sleeping or dozing	[] Diving or Falling away
[] Other (specify).	
[] Not distracted	Using hands to:
	[] Vault corner of vehicle
4. Can you estimate the speed of the vehicle at t	
the collision?	[] Brace against vehicle
[] Stopped[]1-10[]10-20	[] Crouch and brace hands against vehicle
14 20-30[]30-40[]40-50	[] Combination of above (specify):
[] 50-50[]60-70[]70+	
-	[] Other (specify):
5. Just prior to the impact, were you:	No
Standing/Walking/Running	
[] Grouching	10. What portion of the vehicle first struck you?
[] Kneeling	The front
Bending at the waist	1 Corner, or
[] Other (specify):	[] Side
-	
	·

The state of the s

Primary Sampling Unit Number	
. Case Number - Stratum 6 P	3. Pedestrian Number <u>0 1</u>
PEDESTRIAN CRASH DATA QUESTIONS	PEDESTRIAN CHARACTERISTICS
When struck by the vehicle, was your chest:	16. Height, Weight, Age, and Sex?
[] Facing vehicle	
Facing away	Height 3 Weight 130 Age 5
Left side to vehicle	
[] Right side to vehicle [] Other (specify):	Sex:[]Male[]Female
2 Which way was your book facing (soleting to	17. What kind of shoes were you wearing?
2. Which way was your head facing (relative to your chest) at impact?	Indena
To front	
[] To left	
[] To right	18. Could you tell me your following measurements
[] Up	without shoes?
[] Down	Ground to center of knee cap
[] Other (specify):	Ground to top of hip bone
2 Where were were a series and series are series and series and series and series and series and series are series and series and series and series are series and series and series are series and series are series and series are series are series and series are series and series are series and series are series are series are series are series are series are se	Ground to top of shoulder
Where were your arms at impact? Would you say: At sides	
[] Folded across chest	Go to Pedestrian Injury Data questions
[] Hands clasped behind back	
[] Hands on hins	
[] Hands in pockets	·
One or both arms: Extended upward Extended to side Extended forward, bracing Extended forward or backward holding or pulling object. Holding object in arms Holding object on shoulder or head Other (specify):	the shoulder
4. Where were your legs at impact? Were they:	
[] Together	
[] Apart, laterally	
[] Apart, left leg forward	
Apart, right leg forward	
[] Apart, forward leg unknown	
[] Left foot off the ground [] Right foot off the ground	
[] Both feet off the ground	
[] Other (specify):	
5. What happened to you after being hit by the vehicle?	· · · · · · · · · · · · · · · · · · ·
Launelled in mill lo	
- mineral principal	
of observe tone	
'Il Tall a	and Red
. 1 1 1 1 1	
Doct Land T	7 Lea
7/27[1] 7/2/1	one.
1 36 1	

.

PSU Number ___ P Pedestrian Number __ 0 _ 1





U.S. Department of Transportation

Nation' Highway Traffic Safety Administration

DRIVER INTERVIEW FORM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY


1. Primary Sampling Unit Number	Interviewee(s) Role or Name(s):
2. Case Number - Stratum 6 12 P	
3. Vehicle Number01	
Review all available information and interview quacquisition of all pertinent data.	uestions prior to conducting interview(s) to ensure the
If the driver was not the person interviewed, wa	as an appointment made for a follow-up interview?
DRIVER'S DESCRI	PTION OF ACCIDENT EVENTS
Job Durn Bookle getting I did glance looking ab olk for ward the and I struck put usubore to with her about	normal limit 25-30 and ren cautions to look for, or and of Rue and new mobital to the left fuot before France or feels, and when I looked were no run left healthight her. I swew to a little go and his broken. I stapped not to my position in can to a year in other lane, in with
Mus 2 of Kney	feet to North
OCCUPANT'S DESC	RIPTION OF ACCIDENT EVENTS
	• .

ACCIDENT DIAGRAM



The use of this diagram is optional. It may serve to aid in relating interviewee accident trajectory data (i.e., pre-impact to FRP orientations) to identifiable objects in the environment.

INDICATE NORTH



3. Vehicle Number 4. Occupant Number 6b. Did the vehicle skid sideways? [] Yes Which way? []Clockwise []Counter clockwise How much rotation? []Less than 30° []30° or more No 7. Where was your vehicle at the time of the collision?
6b. Did the vehicle skid sideways? [] Yes Which way? []Clockwise []Counter clockwise How much rotation? []Less than 30° []30° or more
6b. Did the vehicle skid sideways? [] Yes Which way? []Clockwise []Counter clockwise How much rotation? []Less than 30° []30° or more No
Which way? []Clockwise []Counter clockwise How much rotation? []Less than 30° []30° or more
•
Original travel lane [] Different travel lane [] In intersection [] Off roadway to right [] Off roadway to left [] Other (specify):
8. Was your travel speed at the time of the collision different from your previous travel speed? No Lower Higher Unknown
8a. Can you estimate your speed at the time of the collision? [] Stopped [] 1-10 [] 10-20 [] 20-30 [] 30-40 [] 40-50 [] 50-60 [] 60-70 [] 70 +
9. Immediately following the collision, can you describe how your vehicle moved to its stopped position?
10. What direction was your vehicle facing at final rest? W. E. 11. Where was your vehicle when it came to rest? Original travel lane [] In intersection [] Off roadway to right [] Other (specify):

.

•

ational Accident Sampling System-Crashworthiness Data System: Pedestrian Driver Interview Form Page			
1. Primary Sampling Unit Number	3. Vehicle Number	0 1	
2. Case Number - Stratum <u>6 P</u>	4. Occupant Number	0 1	
VEHICLE/DRIVER DATA QUESTIONS	VEHICLE/PEDESTRIAN RELATED D	ATA	
12. Was there any previous damage to your vehicle that is	18. Just prior to the impact, was the pedestrian:	:	
not related to this accident?	Standing		
No	[] Crouching		
/[] Yes (If "yes", describe below, go to question 13)	[] Kneeling		
!	[] Bending at waist		
	[] Other, specify:		
	19. Just before the impact, was the pedestrian:		
13. Was your vehicle repaired with Orignial Equipment	[] Stopped		
Manufacture (OEM) parts?	[] Walking		
[] No (If "No", describe below)	[] Walking Rapidly		
≯ Yes	Running or Jogging		
[] Unknown	[] Hopping		
	[] Skipping		
	[] Jumping		
	[] Falling or Rising		
	[] Other (specify):		
14. At the time of the accident, was the vehicle being used	·		
as a:	20. Just before impact, was the pedestrian:		
7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	Crossing road, straight		
Taxi[]School Bus[]Other Bus?	Crossing road, diagonally		
to the state of	[] Moving in road, with traffic		
Is the vehicle a:	[] Moving in road, against traffic		
CA AARRAM CANADA	[] Off road, approaching road		
[] Military[]Police	[] Off road, going away from road		
[] Ambulance[]Fixe Truck/Car [] Other Special use, specify:	[] Off road, moving parallel		
() Other Special use, specify:	[] Off road, crossing driveway		
	[] Off road, moving along driveway [] Other (specify):		
15. Before the collision, were you attentive to the driving			
task or were you distracted by:	21. Where was the pedestrian at impact:		
[] talking on a cellular phone	[] In intersection, in a crosswalk		
[] another person in the car	[] In intersectiond, not in a crosswalk		
[] a moving object in the car	[] Not at intersection, in a crosswalk		
something outside the car, specify 4	Not at intersection, not in a crosswalk		
looping at lade to life at line	1 Off road		
[] sleeping or dozing	[] Other (specify):		
[] other (specify):			
[] not distracted			
OPTIONAL	22. Before trying to avoid being struck by the ve	hicle,	
	was the pedestrian's chest:	į	
If you need additional vehicle infomation. Request the	[] Facing vehicle		
owner's permission for an additional inspection.	[] Facing away		
16. Do you know where the webiele is assessed. I and do	Left side to vehicle		
16. Do you know where the vehicle is currently located?	[] Right side to vehicle		
at work	[] Other (specify):		
$\omega_{\bullet} = \omega_{\bullet} \circ \zeta$			
17. May I take a look at your vehicle to assess the damage?			
[] No			
Yes			
· · · · · · · · · · · · · · · · · · ·	1		

.

National Accident Sampling System-Crashworthiness Dat	a System: Pedestrian Driver Interview Form Page 4
1. Primary Sampling Unit Number	3. Vehicle Number <u>0 1</u>
2. Case Number - Stratum 6 P	4. Occupant Number <u>0 1</u>
VEHICLE/DRIVER PEDESTRIAN RELA	TED DATA QUESTIONS (CONTINUED)
23. Did the pedestrian do anything to avoid being hit, like: Stopping	29. Where were the pedestrian's legs at impact? Were they: Together Apart, laterally Apart, right leg forward Apart, torward leg unknown Left foot off the ground Both feet off the ground Other (specify): What happened to the pedestrian after being hit by the vehicle? Yes- How many? continue collecting information (questions 24 through 34 above) for each additional pedestrian contacted. No- End Driver Interview

•.

W2P PoIto FRP = 37./m = 122ft, f = 0.55 we f, $S = V + V = \frac{V^2}{249}$

5 = 122 t = 1.25 S-0 Perc-plo-pRecetion f = 0.55

$$122 = 1.25 V + \frac{V^{2}}{(2)(0.55)(32.2)}$$

$$0.02823V^{2} + 1.25V - 122 = 0$$

$$V = -\frac{6t}{2w} \frac{\sqrt{62-4AC}}{2w}$$

$$V = \frac{-1.25 + 1}{2(0.028)} \frac{(0.512) - (4)(6.828)(0.22)}{2(0.028)}$$

$$= -1.25 + \frac{1}{2} \frac{\sqrt{1.5-12} - (4)(6.828)(0.22)}{2(0.028)}$$

$$= -1.25 + \frac{1}{2} \frac{\sqrt{15-12} + 13.777}{2(0.028)}$$

$$= \frac{-1.25 + 1}{2(0.028)} \frac{\sqrt{15-12} + 13.777}{2(0.028)}$$

$$= \frac{-1.25 + 1}{2(0.028)} \frac{\sqrt{15-12} + 13.777}{2(0.028)}$$

Impart Spend use 30 mph

bunal

95000000000 82612P00000011 353 958.0400000000000107100100001 4 95 95 95 95 82612F00010012**4 9**58.041000000000111F72000 82612P00010021 8.04 0000000005821604608513105913013001309070609600331999915 12000000000009 8.04 00000000028518143270011222 82612P00010131 82612P00010231 8.04 000000000028534062270011222 8.04 00000000028904021270011222 82612P00010331 82612P00010431 8.04 00000000028526022270311334 8.04 00000000027528043270311334 82612P00010531 82612P00010631 8.04 00000000027532043270311334 82612P00010731 8.04 00000000022902021794711000 82612P00010831 9.04 00000000022904021794711000 82612P00010931 8.04 00000000022902021194711000

82612P01000041 8.04 0000000009302404141J4GZ78Y2PC 99904809600167000004 82140180011101211220032

PSUB2 CASE 612P

CURRENT VERSION: 8.04

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

/95

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Υ
Pedestrian Assessment	O	0	0	Υ
Pedestrian Injury	O	0	O	Υ
Pedestrian General Vehic	le O	Q	O	Υ
Pedestrian Exterior Vehi	1e 0	0	0	Υ
Total Inter Errors		0	o	
Total Case Errors	0	o	O	